

EFB ELEKTRONIK

NEW

# 19“ NETWORK CABINET SERIE PEL

FUNCTIONAL | THOUGHTFUL | ATTRACTIVELY PRICED

WIR SORGEN FÜR **VERBINDUNG**
WE CARE FOR **CONNECTION**


# THE 19“ PEL NETWORK CABINET
## IN DETAIL




**Fan unit roof incl. thermostat -** view from below




Cabinet roof with **fan plate**



2x 3 depth rails left/ right for **heavy load capacity**
Profiles **depth-adjustable** in steps of 20 mm



**Modular plinth,** closed construction (not levelable)






**Additional earthing** of the left door strip



**Turning handle** with **1-point latch locking** and EFB logo



Cabinet base with **cable entries**



All cabinet parts **internally earthed**

### FUNCTIONAL AND ATTRACTIVELY PRICED

The new 19“ PEL network enclosures provide you with a reliable and economical solution that is both functional and attractively priced.

### BUT YOU DON‘T HAVE TO DO WITHOUT ANYTHING

Inexpensive to purchase, powerful in performance: load capacity of up to 800 kg, tested and ready for immediate use - in keeping with EFB quality.

### SAFELY STOWED - RELIABLY PROTECTED

Lockable, with protection class IP20: The cabinet reliably protects your components from solid foreign bodies and is ideal for indoor use.

SCAN ME!

DISCOVER PRODUCTS

## READY FOR IMMEDIATE USE:
PRE-ASSEMBLED



**Time is money:** Our pre-assembled 19" PEL network cabinets allow you to get started straight away on site - unpack, set up and get going.

## SPACE-SAVING DELIVERY:
FLAT PACK



Flat Pack network cabinets are practical because they can be transported in a space-saving manner and are easy to install on site.

**The 19" PEL network cabinet + accessories is available in grey (RAL7035) and black (RAL9005).**

| Art.-No. | HE | Wide | Depth | Height | Front door | Back door |
|---|---|---|---|---|---|---|
| PEL-2466xx.G1SV | 24 | 600 mm | 600 mm | 1200 mm | One-piece glass door | One-piece steel door |
| PEL-4266xx.G1SV | 42 | 600 mm | 600 mm | 2000 mm | One-piece glass door | One-piece steel door |
| PEL-4288xx.G1SV | 42 | 800 mm | 800 mm | 2000 mm | One-piece glass door | One-piece steel door |
| PEL-4280xx.G1SV | 42 | 800 mm | 1000 mm | 2000 mm | One-piece glass door | One-piece steel door |

## ACCESSORIES

Plinths, 4-way fan and baying connectors are available as accessories for the PEL cabinet series:

| Art.-No. | Type | Wide | Depth | Height | Color | Remark |
|---|---|---|---|---|---|---|
| PEL-SOK66VV.xx | Base | 600 mm | 600 mm | 100 mm | RAL7035, light grey | levelable |
| PEL-SOK88VV.xx | Base | 800 mm | 800 mm | 100 mm | RAL7035, light grey | levelable |
| PEL-SOK80VV.xx | Base | 800 mm | 1000 mm | 100 mm | RAL7035, light grey | levelable |

| Art.-No. | Type | Description | Color | Remark |
|---|---|---|---|---|
| PEL-LFD04ET.xx | Fan | 4-way fan for roof mounting, IEC C14 connection, incl. thermostat | RAL7035, light grey | Volume flow approx. 540 $m^3$/h |
| PEL-ANR01 | Baying connectors | Baying connectors, 4 pieces in set | RAL7035, light grey | Screw mounting |

## DO YOU HAVE QUESTIONS
ABOUT OUR 19" PEL NETWORK CABINET SERIES?



**PLEASE CONTACT US!**

SCAN ME!

**EFB-Elektronik GmbH** | Striegauer Str. 1 | 33719 Bielefeld | fon +49 521 404 18 - 0 | www.efb-elektronik.de