



# DATASHEET

## Adapter SC Duplex OM5 lime green



### General data

EFB-Elektronik's precision-engineered SC Duplex Connector connects fibre optic cables to SC duplex connectors and is designed for OM5 category multimode applications. The plastic housing with ceramic sleeve is designed for reliable use in installations with precise connectors.

- SC duplex connectors on both sides – Enable precise connection of compatible fibre links in multimode installations.
- Designed for OM5 multimode – Supports a suitable basis for high-performance transmission links in modern networks.
- Plastic housing with flange, ceramic sleeve and dust cap – Ensures a robust and practical design in the installation environment.

The SC duplex design supports the parallel routing of two fibre optic ducts. The locking mechanism and fastening by screw or snap-in enable secure integration into matching front panels and housings. The housing with flange increases practicality. The lime green version facilitates visual assignment and the black dust cap protects the connections in the installation environment.

### Technical details

- Brand: EFB-Elektronik
- Connector type Connector 1: SC Duplex
- Connector type Connector 2: SC Duplex
- Finish: SC

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.



# DATASHEET

## Adapter SC Duplex OM5 lime green

- Design: SC duplex
- Category: OM5
- Suitable for fibre type: Multimode
- Colour: lime green
- Sleeve material: ceramic
- Housing material: plastic
- Housing design: Flanged
- Locking type: Latching Lock
- Mounting type: Screw, Snap-in
- Colour dust cover: black
- Dust cap: Yes
- Scope of delivery: 1 coupling, 2 screws
- Accessories: Self-tapping screw

### Technical properties

|                                |                      |
|--------------------------------|----------------------|
| Accessories                    | Self-Tapping Screw   |
| Colour Dust Cover              | Black                |
| Conform to Standard            | IEC61754-4           |
| Construction type              | SC-Duplex            |
| Dust cover                     | True                 |
| Height                         | 9.3 mm               |
| Internal Shutter               | False                |
| Length                         | 27.5 mm              |
| Material housing               | Plastic              |
| Material sleeve                | Ceramics             |
| Operating temperature          | -40 - 75 °C          |
| Packaging                      | Polybag              |
| Scope of deliveryLieferumfang  | 1 coupling, 2 screws |
| Storage Temperature            | -40 - 85 °C          |
| Type of connector connection 1 | SC-Duplex            |
| Type of connector connection 2 | SC-Duplex            |
| Type of fastening              | Screw/snap in        |
| Type of housing                | With flange          |
| Type of locking                | Latching mechanism   |
| Width                          | 35.0 mm              |

### Available variants

| ArtNr. | Bezeichnung | Category | Colour | Insertion loss<br>850nm | Model | Suitable for type of<br>fibre |
|--------|-------------|----------|--------|-------------------------|-------|-------------------------------|
|--------|-------------|----------|--------|-------------------------|-------|-------------------------------|

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.



# DATASHEET

## Adapter SC Duplex OM5 lime green

|            |                                  |     |            |          |    |            |
|------------|----------------------------------|-----|------------|----------|----|------------|
| 53333.10M5 | Adapter SC Duplex OM5 lime green | OM5 | lime green | < 0,2 dB | SC | Multi mode |
|------------|----------------------------------|-----|------------|----------|----|------------|

### Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.

