


DATASHEET

FTTX Compact Box pre assembled, 2x LC/APC Duplex, G.657.A2, 10m







General data

Pre Assembled House Connection Box with a 4 fiber installation cable

Bend insensitive fiber for smaller bending radii
Cable entry: rear side
Pigtails spliced and connected
Outgoing Port: 4
Installation cable coiled on cardboard roll

Technical properties

APC-version	True
Adapter	LC Duplex
Adapter colour	green
Blow in	True
Cable & Fiber	IEC 60794-2-20
Cable Diameter	2.2 mm
Cable entry without cable gland	2
Cable sheath support	False
Cabling standards	ISO/IEC 11801

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

DATASHEET

FTTX Compact Box pre assembled, 2x LC/APC Duplex, G.657.A2, 10m

Colour	white
Colour outer sheath	white
Dimensions	100x80x22 mm
Fibre category	G657.A2
Fibre type	Single mode 9/125
Flame retardant	Yes
Foreign body and contact protection	Protection against medium-sized foreign bodies
Halogen free	True
Hinged splice cassette	True
Holder for gas blocker	False
Holder for splitter	False
IL max. (dB/km) 1310nm	0.35 dB/km
IL max. (dB/km) 1550nm	0.21 dB/km
IP Protection	IP20
Low smoke	True
Material	Plastic halogen free
Material outer sheath	LSZH
Mounting method	Wall mounting
Operating Temperature	-20 – 60 °C
Possibility of mast mounting	False
Quantity adapter	2
Quantity of Pigtails	4
Scope of application	Indoor
Strain relief	True
Water protection	Without protection
With Fiber overlength cassette	True
With plug protection	False

Available variants

ArtNr.	Bezeichnung	Length
53670.10	FTTX Compact Box pre assembled, 2x LC/APC Duplex, G.657.A2, 10m	10.0 m
53670.20	FTTX Compact Box pre assembled, 2x LC/APC Duplex, G.657.A2, 20m	20.0 m
53670.30	FTTX Compact Box pre assembled, 2x LC/APC Duplex, G.657.A2, 30m	30.0 m
53670.40	FTTX Compact Box pre assembled, 2x LC/APC Duplex, G.657.A2, 40m	40.0 m
53670.50	FTTX Compact Box pre assembled, 2x LC/APC Duplex, G.657.A2, 50m	50.0 m

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

DATASHEET

FTTX Compact Box pre assembled, 2x LC/APC Duplex, G.657.A2, 10m

53670.60	FTTX Compact Box pre assembled, 2x LC/APC Duplex, G.657.A2, 60m	60.0 m

Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION