
# DATASHEET


## 19" 1U Shelf, Fixed, MD 350..450 mm, Max. Load 120 kg, CD 600, RAL9005














### General data

For use in all 19" network and server cabinets
Fixing at the front and rear-sided 19" profiles necessary
Mounting depth rear-sided adjustable (+0 .. 100 mm)
Material steel sheet
Paint finish RAL7035, light grey / RAL9005, jet black
Scope of delivery: 1 x shelf incl. mounting accessories

### Technical properties

| | |
|---|---|
| Cabinet Series | Universal |
| Material | Steel |
| Model | Shelf |

**This datasheet was created automatically on 01-11-2026 . Technical changes reserved.**

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

# DATASHEET

## 19" 1U Shelf, Fixed, MD 350..450 mm, Max. Load 120 kg, CD 600, RAL9005

| | |
|---|---|
| Packaging | Cardboard |
| Scope of delivery | 1 x Shelf, Mounting accessories |
| Structure/Use | For mounting on the front and rear 19" profiles. Mounting depth adjustable on the rear (+0.. 100 mm). |

### Available variants

| ArtNr. | Bezeichnung | Adjustment | Colour | Depth | Max. Load | Suitable for enclosure building depth | Width | Height | RAL-number | Usable Width | For Cabinet Depth | Usable Depth |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 691651FGR.10 | 19" 1U Shelf, Fixed, MD 750..850 mm, Max. Load 120 kg, CD 1000, RAL7035 | 750 – 850 mm | grey | 750 mm | 120 kg | 1000 mm | 482.6 mm | 44 mm | 7035 | 450 mm | 1000 mm | 750 mm |
| 691651FGR.12 | 19" 1U Shelf, Fixed, MD 950..1050 mm, Max. Load 120 kg, CD 1200, RAL7035 | 950 – 1050 mm | grey | 950 mm | 120 kg | 1200 mm | 482.6 mm | 44 mm | 7035 | 450 mm | 1200 mm | 950 mm |
| 691651FGR.6 | 19" 1U Shelf, Fixed, MD 350..450 mm, Max. Load 120 kg, CD 600, RAL7035 | 350 – 450 mm | grey | 350 mm | 120 kg | 600 mm | 482.6 mm | 44 mm | 7035 | 450 mm | 600 mm | 350 mm |
| 691651FGR.8 | 19" 1U Shelf, Fixed, MD 550..650 mm, Max. Load 120 kg, CD 800, RAL7035 | 550 – 650 mm | grey | 550 mm | 120 kg | 800 mm | 482.6 mm | 44 mm | 7035 | 450 mm | 800 mm | 550 mm |
| 691651FTS.10 | 19" 1U Shelf, Fixed, MD 750..850 mm, Max. Load 120 kg, CD 1000, RAL9005 | 750 – 850 mm | black | 750 mm | 120 kg | 1000 mm | 482.6 mm | 44 mm | 9005 | 450 mm | 1000 mm | 750 mm |

**This datasheet was created automatically on 01-11-2026 . Technical changes reserved.**

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

# DATASHEET

## 19" 1U Shelf, Fixed, MD 350..450 mm, Max. Load 120 kg, CD 600, RAL9005

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 691651FTS.12 | 19" 1U Shelf, Fixed, MD 950..1050 mm, Max. Load 120 kg, CD 1200, RAL9005 | 950 – 1050 mm | black | 950 mm | 120 kg | 1200 mm | 482.6 mm | 44 mm | 9005 | 450 mm | 1200 mm | 950 mm |
| 691651FTS.6 | 19" 1U Shelf, Fixed, MD 350..450 mm, Max. Load 120 kg, CD 600, RAL9005 | 350 – 450 mm | black | 350 mm | 120 kg | 600 mm | 482.6 mm | 44 mm | 9005 | 450 mm | 600 mm | 350 mm |
| 691651FTS.8 | 19" 1U Shelf, Fixed, MD 550..650 mm, Max. Load 120 kg, CD 800, RAL9005 | 550 – 650 mm | black | 550 mm | 120 kg | 800 mm | 482.6 mm | 44 mm | 9005 | 450 mm | 800 mm | 550 mm |

**Note on Intended Use**

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.



EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION