DATASHEET

19" 1U Socket Strip 6 x CEE7/3 with Surge Protection + Mains Filter, Black











General data
Mains- and frequency filter
Overvoltage protection leakage current 6.5 kA
Visual function and failure display
35° turned socket inserts in the aluminium profile
Cable H05VV-F 3G 1.5 mm², black, 2.0 m, 250 V AC / 16 A with angled CEE7/3 plug CEE7/7
Supplied mounting brackets allow any fastening position

Technical properties	
Angle rotated central insert	35 °
Colour of power cord	black
Core cross section	1.50 mm²
Degree of protection	IP20
Halogen free	False
Housing shape	Rectangular
Length of power cord	2.0 m
Mains filter	True
Material	Metal

This datasheet was created automatically on 03-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

DATASHEET

19" 1U Socket Strip 6 x CEE7/3 with Surge Protection + Mains Filter, Black

Material quality	Aluminium Aluminium
Max. connected load	3600 W
Mounting dimension (standardised)	465 mm
Nominal current	16 A
Nominal voltage	230 V
Number of height units (U)	1 U
Number of phases	1
Over voltage protection	True
Packaging	Polybag
Residual current circuit breaker (RCCB)	False
Rotated central insert	True
Scope of delivery	1 x power strip incl. mounting brackets
Surface finishing	Matt
Surface treatment	Anodised
Transparent	False
Type of mains connection	CEE 7/7
With cover lid	False

Available variants

ArtNr.	Bezeichnung	Anti-bacterial treatment	Colour	Compatible with Amazon Alexa	Compatible with Apple HomeKit	Compatible with Google Assistant	IFTTT support available	Number of socket outlets with protective contact (CEE7/3)	With on/off switch	Height	RAL-number (similar)
691689	19" 1U Socket Strip 6 x CEE7/3 with Surge Protection + Mains Filter, Grey	False	grey	False	False	False	False	6	False	44 mm	7035
691689SW	19" 1U Socket Strip 6 x CEE7/3 with Surge Protection + Mains Filter, Black	False	black	False	False	False	False	6	False	44 mm	9005

Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 03-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION