


DATASHEET

19" Wall Housing 3U Vertical + 5U Horizontal, RAL9005



General data

Steel sheet housing for wall mounting, completely pre-assembled, self-ventilated

Wall raising (overall depth) only 150 mm

3U for vertical mounting of 19" components, max. depths each 1 x 360 / 340 / 300 mm

5U additionally for horizontally mounting of 19" components, max. depth 80 mm

3U level 180° swiveling

Cover with window, hinged and lockable

Pre-punched ventilation openings in housing

Pre-punched cable clamps in rear wall

Material steel sheet

Paint finish RAL7035, light grey / RAL9005, jet black / RAL9010, white

Protection degree IP20

Included in delivery: 1 x key

Technical properties

This datasheet was created automatically on 12-09-2026 . Technical changes reserved.

DATASHEET

19" Wall Housing 3U Vertical + 5U Horizontal, RAL9005

Cabinet Series	19" Wall Housing vertical 3+5U, pre-assembled
Cable entry roof/floor	3 x on the back, 1 x 50 x 100 mm at the top, 2 x 70 x 100 mm left/right
Degree of protection	IP20
Demountable	True
Installation depth min. - max.	1 x 360 / 340 / 300 + 5 x 80 mm
Material	Steel
Model	With swing frame
Modular spacing	482,6 mm (19 inch)
Mounting level	Front side
Number of cartons	1
Number of doors	1
PHC replaceable front door	No
Packaging	1 carton
Scope of delivery	1x Cabinet, 1x keys
Structure/Use	Wall mounting depth only 150 mm, 3U for vertical or 5U for horizontal installation, 3U level swivels 180°, housing cover with viewing window, hinged, snap-in and lockable, pre-cut ventilation openings, pre-cut cable guides
Surface finishing	powder coating
Type of profile rail	L-shape
Type of ventilation	Passive
With earthing	True
With front door	True
With roof plate	True
With sidewall	True

Available variants

ArtNr.	Bezeichnung	Colour	Depth	Height	Max. Load	Number of height units	Width	RAL-number
691703V	19" Wall Housing 3U Vertical + 5U Horizontal, RAL7035	grey	146 mm	475 mm	30 kg	8 U	537 mm	7035
691703VTS	19" Wall Housing 3U Vertical + 5U Horizontal, RAL9005	schwarz	146 mm	475 mm	30 kg	8 U	537 mm	9005
691703VWS	19" Wall Housing 3U Vertical + 5U Horizontal, RAL9010	weiß	146 mm	475 mm	30 kg	8 U	537 mm	9010

Note on Intended Use

This datasheet was created automatically on 12-09-2026 . Technical changes reserved.



DATASHEET

19" Wall Housing 3U Vertical + 5U Horizontal, RAL9005

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 12-09-2026 . Technical changes reserved.



EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

