
DATASHEET

Cable Routing Bracket 40 x 40 mm with Lateral Offset Mounting Plate













General data

The cable management bracket from EFB-Elektronik is designed for orderly cable routing at the front or side of the 19" level. The laterally offset mounting plate supports access to all ports of the 19" devices. Thanks to the screw mounting in 1U or in the side grid perforations of the 19" profile rails, the component can be used flexibly in universal cabinet series. The galvanized steel design ensures a robust and metallic surface.

- Laterally offset mounting plate for free access to all ports of the 19" devices
- Flexible mounting on the front or side in the 19" level
- Compact design with 1 U as well as 40 mm width and 40 mm temple length

The design is designed for practical use in professional 19" installations. The screw mounting in 1 U or in the side grid holes of the 19" profile rails enables clear guidance without unnecessary space requirements. As a cable guide made of steel with a galvanized surface, the element combines mechanical stability with a functional, universally applicable

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

DATASHEET

Cable Routing Bracket 40 x 40 mm with Lateral Offset Mounting Plate

design.

Technical details
• Brand: EFB-Elektronik
• Category: Cable Routing
• Cabinet Series: Universal
• Number of rack units (U): 1U
• Design: Cable routing
• Surface finish: galvanized
• Width: 40 mm
• Temple length: 40 mm
• Colour: metallic
• Suitable for 482.6 mm (19 in) mounting: Yes
• Material: Steel
• Scope of delivery: 1 x cable management bracket
• Construction/use: Cable management bracket for mounting on the front or side of the 19" level. Laterally offset mounting plate allows access to all ports of the 19" devices. Screw mounting in 1U or in the side grid hole of the 19" profile rails.

Technical properties	
Cabinet Series	Universal
Category	Kabelführung
Material	Steel
Model	Kabelführung
Scope of delivery	1 x Kabelführungsbügel
Structure/Use	Kabelführungsbügel zur Montage an der Frontseite oder seitlich der 19" Ebene. Seitlich versetzte Montageplatte ermöglicht den Zugang zu allen Ports der 19" Geräte. Schraubmontage in 1HE oder in der seitlichen Rasterlochung der 19" Profilschienen.
Suitable for 19 inch mounting	True
Surface Finishing	verzinkt

Available variants

ArtNr.	Bezeichnung	Bracket Length	Colour	Height	Length	Number of height units	Width
699991.1S	Cable Routing Bracket 40 x 40 mm with Lateral Offset Mounting Plate	40 mm	metallisch	44.45 mm	40 mm	1 U	40 mm
699991.2S	Cable Routing Bracket 40 x 80 mm with Lateral Offset Mounting Plate	80 mm	metallisch	44.45 mm	80 mm	1 U	40 mm

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

DATASHEET

Cable Routing Bracket 40 x 40 mm with Lateral Offset Mounting Plate

699991.3S	Cable Routing Bracket 80 x 80 mm with Lateral Offset Mounting Plate	80 mm	metallisch	44.45 mm	80 mm	1 U	80 mm

Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION