DATASHEET


Partially Assembled Breakoutbox with 2 LC-Duplex adapter OM4
















General data

Partially assembled Breakout box equipped with LC duplex adapter
OM4
Front panel screwed and adapters inserted
Metal box

Technical properties

Adapter material	Plastic adapter
Depth	170 mm
Fibre class	OM4
Fibre type	Multi mode 50/125
Height	44 mm

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

DATASHEET

Partially Assembled Breakoutbox with 2 LC-Duplex adapter OM4

Mounting method	482.6 mm (19 inch) mounting
Number of height units	1 U
Sliding	non sliding version
Width	482 mm
With front plate	True
With housing	True
With pigtails	False

Available variants

ArtNr.	Bezeichnung	Colour	Suitable for number of couplings/adapters	Type of connector external	With number of couplings/adapters	RAL-number	Type of connector interior	Adapter colour
B65901.10OM4	Partially Assembled Breakoutbox with 10 LC-Duplex adapter OM4	grey	10	LC-Duplex	10	7035	LC-Duplex	erica-violet
B65901.12OM4	Breakout box gy LC OM4 12x duplex adapter	grey	12	LC-Duplex	12	7035	LC-Duplex	erica-violet
B65901.16OM4	Partially Assembled Breakoutbox with 16 LC-Duplex adapter OM4	grey	16	LC-Duplex	16	7035	LC-Duplex	erica-violet
B65901.18OM4	Partially Assembled Breakoutbox with 18 LC-Duplex adapter OM4	grey	18	LC-Duplex	18	7035	LC-Duplex	erica-violet
B65901.24OM4	Breakout box gy LC OM4 24x duplex adapter	grey	24	LC-Duplex	24	7035	LC-Duplex	erica-violet
B65901.2OM4	Partially Assembled Breakoutbox with 2 LC-Duplex adapter OM4	grey	2	LC-Duplex	2	7035	LC-Duplex	erica-violet

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

DATASHEET

Partially Assembled Breakoutbox with 2 LC-Duplex adapter OM4

B65901.3OM4	Partially Assembled Breakoutbox with 3 LC-Duplex adapter OM4	grey	3	LC-Duplex	3	7035	LC-Duplex	erica-violet
B65901.4OM4	Partially Assembled Breakoutbox with 4 LC-Duplex adapter OM4	grey	4	LC-Duplex	4	7035	LC-Duplex	erica-violet
B65901.6OM4	Breakout box gy LC OM4 6x duplex adapter	grey	6	LC-Duplex	6	7035	LC-Duplex	erica-violet
B65901.8OM4	Partially Assembled Breakoutbox with 8 LC-Duplex adapter OM4	grey	8	LC-Duplex	8	7035	LC-Duplex	erica-violet

Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de