


DATASHEET

RJ45 Keystone Slim/Short, Cat.6A, die-cast zinc, 10GE



General data

Compact Network Performance at the Highest Level

The RJ45 Keystone Slimline Cat.6A from EFB stands out thanks to its exceptionally space-saving design and reliable 10-Gigabit performance. Thanks to its robust die-cast zinc housing, integrated dust cover, and well-designed cable management, it is the ideal solution for professional network installations in patch panels, jacks, and mounting rings. The dust cover ensures that contacts remain clean over time and supports stable data transmission.

Your benefits at a glance

10 Gbit/s Cat.6A performance – future-proof high-speed data transmission

Slimline and short-body design – with a depth of less than 29 mm, perfect for tight installation spaces and high

This datasheet was created automatically on 07-09-2026 . Technical changes reserved.



DATASHEET

RJ45 Keystone Slim/Short, Cat.6A, die-cast zinc, 10GE

port density

Integrated dust cover – protects contacts and ensures long-lasting performance

Product Highlights

Cat.6A keystone module for **10 Gigabit Ethernet (10GE)**

Robust **die-cast zinc housing** for maximum stability

Suitable for **AWG 22/1 to AWG 24/1 cables**

Integrated **cable pre-sorter** for easy and clean installation

Color code printed directly in accordance with **TIA/EIA 568 A/ B** printed directly on the module

Compatible with **Keystone patch panels and mounting rings**

Integrated dust cover to protect the contacts

Package Contents

1 × RJ45 Keystone module

1 × Installation instructions

Technical properties

360° shield contact	True
AWG-range	24 - 22
Cable diameter	8,5
Category	6A (TIA)
Complaint to UL94	V-0
Connection type	Insulation displacement connector
Contact Resistance	≤ 20
Current capacity	2
Dielectric Withstanding Voltage	1000
Dust cover	True
Insertion force	≤ 30
Insulation Resistance	≥ 500
Mating cycles	≥ 750
Model	jack
Operating Temperature	-10 - 60
Shield contact and strain relief separate	True
Suitable for degree of protection (IP)	IP20
Suitable for round cable	True
Suitable for solid core	True

This datasheet was created automatically on 07-09-2026 . Technical changes reserved.



DATASHEET

RJ45 Keystone Slim/Short, Cat.6A, die-cast zinc, 10GE

Type of connector	RJ45 8(8)
Type of locking	Latching mechanism
screened	True

Available variants

ArtNr.	Bezeichnung	Colour
E-200130	RJ45 Keystone Slim/Short, Cat.6A, die-cast zinc, 10GE	silver

Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 07-09-2026 . Technical changes reserved.

