


DATASHEET

Power Cable Japan Type B - C13 180°, Black, 1.8 m, VCTF 3 x 0.75 mm²



General data

The Japan Type B - C13 180° black power cable from EFB-Elektronik is designed as a connecting cable for use in Japan. With type B and IEC socket, each in a straight design and with 180° angle, it is suitable for suitable device connections in different applications.

- Black version with a length of 1.8 m
- Designed for use in Japan
- With protective conductor and 3-wire structure

The polyvinyl chloride (PVC) sheath supports a practical cable design for technical installations. With a nominal voltage of 125 V and a nominal current of 10 A, the mains cable is adapted to corresponding supply requirements. The combination of type B and IEC socket in a straight design with 180° angulation facilitates integration into existing connection environments.

Technical details

- Brand: EFB-Elektronik
- Connector 1: Type B straight
- Connector 1 angle: 180°
- Connection 2: IEC socket straight
- Connector 2 angle: 180°

This datasheet was created automatically on 25-10-2026 . Technical changes reserved.



DATASHEET

Power Cable Japan Type B - C13 180°, Black, 1.8 m, VCTF 3 x 0.75 mm²

- Core Count: 3
- Outer jacket colour: black
- Sheath material: Polyvinyl chloride (PVC)
- Nominal voltage: 125 V
- Rated current: 10 A
- Protective conductor available
- Country suitability: Japan

Technical properties

Cable printing	E JET5812-12009-1001 VCTF 3x1.25mm ² ZHEJIANG JINTING NUCLEAR CABLE CO.,LTD.2021
Colour outer sheath	black
Connection 1	Typ B straight
Connection 2	Cold device plug straight, female
Connector 1 angulation	180 °
Connector 2 angulation	180 °
Country suitability	Japan
Halogen free	False
Locking mechanism	False
Material outer sheath	Polyvinyl chloride (PVC)
Nominal voltage	250 V
Number of cores	3
Oil resistant (acc. EN 60811-2-1)	False
Oil resistant (according to EN 60811-404)	False
Plug imprint	J3-12B JET5812-43001-1010 125V 12A
Protective conductor	True
Security certificates	PSE
Spiralized cable	False
Type of packaging	Labeled polybag
Warranty	24 month
With cord switch	False

Available variants

ArtNr.	Bezeichnung	Colour outer sheath	Degree of protection	Length	Nominal current	Nominal voltage	Nominal cross section conductor	Outer diameter approx.
--------	-------------	---------------------	----------------------	--------	-----------------	-----------------	---------------------------------	------------------------

This datasheet was created automatically on 25-10-2026 . Technical changes reserved.



DATASHEET

Power Cable Japan Type B - C13 180°, Black, 1.8 m, VCTF 3 x 0.75 mm²

EK490.1,8V2	Power Cable Japan Type B - C13 180°, Black, 1.8 m, VCTF 3 x 0.75 mm ²	black	IP20	1.8 m	10 A	125 V	1.25 mm ²	7.8 mm
-------------	--	-------	------	-------	------	-------	----------------------	--------

Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 25-10-2026 . Technical changes reserved.

