

DATASHEET

Power Cable Israel - C13 180°, Black, 1.8 m, 3 x 0.75 mm²



General data

The Israel 90° - C13 power cable from EFB-Elektronik is designed as a connection cable for use in Israel. With a Type H Israel connector 1 at a 90° angle and a straight IEC socket on the opposite side, it is suitable for compact and standard-compliant cable connections in technical applications.

- 1.8 m cable length for flexible integration
- Port 1 Type H Israel with 90° angulation and Port 2 as a straight IEC socket
- Black PVC outer jacket with 3 wires and protective conductor

The polyvinyl chloride (PVC) sheath supports robust and practical cable routing. The 3-wire version with protective conductor is designed for a safe mains connection, while the nominal values of 250 V and 10 A determine the electrical classification of the cable. The country suitability for Israel and the combination of angled plug and straight socket make it easy to use in confined installation environments.

Technical details

- Brand: EFB-Elektronik
- Port 1: Type H Israel
- Connector 1 angle: 90°
- Connection 2: IEC socket straight
- Connector 2 angle: 180°
- Outer jacket colour: black

This datasheet was created automatically on 13-09-2026 . Technical changes reserved.



DATASHEET

Power Cable Israel - C13 180°, Black, 1.8 m, 3 x 0.75 mm²

- Core Count: 3
- Country Eligibility: Israel
- Sheath material: Polyvinyl chloride (PVC)
- Nominal voltage: 250 V
- Rated current: 10 A
- Protective conductor available

Technical properties

Cable printing	VDE H05VV-F 3G0.75mm ² ZHEJIANG JINTING NUCLEAR CABLE CO.,LTD. www.efb-elektronik.de CE
Colour outer sheath	black
Connection 1	Typ H Israel
Connection 2	Cold device plug straight, female
Connector 1 angulation	90 °
Connector 2 angulation	180 °
Country suitability	Israel
Halogen free	No
Locking mechanism	False
Material outer sheath	Polyvinyl chloride (PVC)
Nominal voltage	250 V
Number of cores	3
Oil resistant (acc. EN 60811-2-1)	False
Oil resistant (according to EN 60811-404)	False
Plug imprint	JY3-16 SII 250V 16A
Protective conductor	True
Security certificates	SII
Spiralized cable	False
Type of packaging	Labeled polybag
Warranty	24 month
With cord switch	False

Available variants

ArtNr.	Bezeichnung	Colour outer sheath	Degree of protection	Length	Nominal current	Nominal voltage	Nominal cross section conductor	Outer diameter approx.
EK491.1,8V2	Power Cable Israel - C13 180°, Black, 1.8 m, 3 x 0.75 mm ²	black	IP20	1.8 m	10 A	250 V	0.75 mm ²	6.5 mm

This datasheet was created automatically on 13-09-2026 . Technical changes reserved.



DATASHEET

Power Cable Israel - C13 180°, Black, 1.8 m, 3 x 0.75 mm²

Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 13-09-2026 . Technical changes reserved.

