

# DATASHEET

## 19" 1U Socket Strip, 12 x C13 without Switch, Cable C14



### General data

19" 1U socket strip in aluminium profile  
 Outlets 12 x IEC C13  
 With overload protection 10 A  
 With increased personal protection against electric shock  
 Cable 1.8 m H03VV-F 3G 1.5 mm<sup>2</sup> with plug IEC C14  
 Colour outlets black, housing aluminium black  
 Certifications CE, RoHS

### Technical properties

|                              |       |
|------------------------------|-------|
| Angle rotated central insert | 35° ° |
| Circuit breaker              | True  |
| Colour of power cord         | black |

This datasheet was created automatically on 30-09-2026 . Technical changes reserved.

# DATASHEET

## 19" 1U Socket Strip, 12 x C13 without Switch, Cable C14

|                                         |                                         |
|-----------------------------------------|-----------------------------------------|
| Core cross section                      | 1.50 mm <sup>2</sup>                    |
| Degree of protection                    | IP20                                    |
| Halogen free                            | No                                      |
| Housing shape                           | Rectangular                             |
| Length of power cord                    | 1.8 m                                   |
| Mains filter                            | False                                   |
| Material                                | Metal                                   |
| Material quality                        | Aluminium Aluminium                     |
| Max. connected load                     | 2500 W                                  |
| Mounting dimension (standardised)       | 465 mm                                  |
| Nominal current                         | 10 A                                    |
| Nominal voltage                         | 250 V                                   |
| Number of height units (U)              | 1 U                                     |
| Number of phases                        | 1                                       |
| Over voltage protection                 | False                                   |
| Packaging                               | Polybag in cardboard box                |
| Residual current circuit breaker (RCCB) | False                                   |
| Rotated central insert                  | True                                    |
| Scope of delivery                       | 1 x power strip incl. mounting brackets |
| Surface finishing                       | Matt                                    |
| Surface treatment                       | Anodised                                |
| Transparent                             | False                                   |
| Type of mains connection                | C14                                     |
| With cover lid                          | False                                   |

### Available variants

| ArtNr.    | Bezeichnung                                             | Anti-bacterial treatment | Colour | Compatible with Amazon Alexa | Compatible with Apple HomeKit | Compatible with Google Assistant | IFTTT support available | Number of cold device socket outlets | With on/off switch | Height | RAL-number (similar) |
|-----------|---------------------------------------------------------|--------------------------|--------|------------------------------|-------------------------------|----------------------------------|-------------------------|--------------------------------------|--------------------|--------|----------------------|
| EK631CC.1 | 19" 1U Socket Strip, 12 x C13 without Switch, Cable C14 | False                    | Black  | False                        | False                         | False                            | False                   | 12                                   | False              | 45 mm  | 9005                 |

### Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and

This datasheet was created automatically on 30-09-2026 . Technical changes reserved.



# DATASHEET

## 19" 1U Socket Strip, 12 x C13 without Switch, Cable C14

regulatory requirements.

This datasheet was created automatically on 30-09-2026 . Technical changes reserved.



EFB-Elektronik GmbH  
Striegauer Straße 1  
33719 Bielefeld

fon: +49 521 40 41 8-0  
fax: +49 521 40 41 8-50

info@efb-elektronik.de  
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG  
WE CARE FOR CONNECTION

