

DATASHEET

Frame Set 1-port, for keystones, DIN49075, RAL9010







General data

This 1-port frame set for keystone modules according to DIN 49075 from EFB-Elektronik in white is designed for flush-mounted installation. With a holder for a keystone module, dust cover and labelling panel, the version combines a compact design with clean integration into structured installations.

• 1-port design for keystone modules according to DIN 49075 – Creates a compact connection solution for standardized network installations.
• Flush-mounted mounting with screw mounting – Enables safe and professional installation in wall installations.
• With dust cover and labelling panel – Protects the connection opening and facilitates clear identification in everyday life.

The design-ready version with adapter plate from the manufacturer is designed for a single mount and works with a TAE connection unit. The white housing measures 80 mm in width, 80 mm in height and 24.4 mm in depth. This makes the frame set suitable for space-saving installations with a clear front look.

Technical details
• Brand: EFB-Elektronik
• Variation group: 1/2 port frameset for keystones, DIN49075
• Holder for: Keystone
• Connection unit: TAE
• Suitable for number of bushings/couplings: 1

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

DATASHEET

Frame Set 1-port, for keystones, DIN49075, RAL9010

- Colour: white
- Mounting type: Flush-mounted
- Mounting type: Fastening with screw
- With hinged lid: Yes
- With dust cover: Yes
- Labelling field: with labelling field
- Designable: With manufacturer's adapter plate
- Device width: 80 mm
- Device height: 80 mm
- Device depth: 24.4 mm

Technical properties	
Assembly arrangement	Frame set
Connection unit	None
Halogen free	False
Imprintable label	with indication plate
Material	Metal
Mounting method	Flush mounted (plaster)
Receptacle for	Keystone
Support ring	True
Temperature	0 - 60° °C
Type of fastening	mounting with screw
With dust cover	True
With hinged lid	True
With imprint	False

Available variants

ArtNr.	Bezeichnung	Colour	Depth of device	Height of device	RAL-number (similar)	Suitable for number of connectors	Width of device	With buses/couplings
ET-25085V3	Frame Set 2-port, for keystones, DIN49075, RAL9010	white	24.4 mm	80 mm	9010	2	80 mm	False
ET-25087V3	Frame Set 1-port, for keystones, DIN49075, RAL9010	white	24.4 mm	80 mm	9010	1	80 mm	False

Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and

regulatory requirements.

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION