DATASHEET

2-Port Frame Set for Keystone, straight outlet, DIN49075, RAL9003 signal white















General data

The 2-port frameset for keystone modules from EFB-Elektronik is available in white or signal white and is designed for flush-mounted installation. With a straight outlet in accordance with DIN 49075, it combines a compact design with clear integration into modern installation environments.

• 2-Port Keystone Module Frameset – Accommodates two modules and allows for flexible, space-saving implementation of structured connection points.
• Straight outlet according to DIN 49075 – Provides clear front guidance and supports a clean, standards-oriented installation.
• Flush-mounted mounting with fastening by screw and labelling field – Facilitates professional installation and improves assignment during operation.

The version is designable with the manufacturer's adapter plate and is designed for discreet integration into suitable system environments. With a width of 80 mm, a height of 80 mm and a depth of 18.81 mm, the frameset remains compact. The bracket for keystone and the specified TAE connection unit underline the modular design of the installation.

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

DATASHEET

2-Port Frame Set for Keystone, straight outlet, DIN49075, RAL9003 signal white

Technical details
- Brand: EFB-Elektronik
- Colour: white
- Holder for: Keystone
- Connection unit: TAE
- Suitable for number of bushings/couplings: 2
- Mounting type: Flush-mounted
- Mounting type: Fastening with screw
- Designable: With manufacturer's adapter plate
- Labelling field: with labelling field
- Device width: 80 mm
- Device height: 80 mm
- Device depth: 18.81 mm

Technical properties	
Assembly arrangement	Frame set
Connection unit	TAE
Design-compatible	With manufacturer's adapter plate
Halogen free	False
Imprintable label	with indication plate
Material	Metal
Mounting method	Flush mounted (plaster)
Receptacle for	Keystone
Support ring	True
Temperature	0 - 60° °C
Type of fastening	mounting with screw
With dust cover	False
With hinged lid	False
With imprint	False

Available variants

ArtNr.	Bezeichnung	Colour	Depth of device	Height of device	RAL-number (similar)	Suitable for number of connectors	Width of device	With buses/couplings
ET-25091	2-Port Frame Set for Keystone, straight outlet, DIN49075, RAL9003 signal white	white	18.81 mm	80 mm	9003	2	80 mm	False

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

DATASHEET

2-Port Frame Set for Keystone, straight outlet, DIN49075, RAL9003 signal white

Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION