
DATASHEET

Techly USB-C 3.0 to RJ45 Gbit converter adapter









General data

The USB-C™ Ethernet converter supports 10/100/1000 Mbps at USB 3.0 high speeds and is also backwards compatible with USB 2.0 and USB 1.1. It can provide a faster and more stable network than Wi-Fi, so you no longer have to endure loading and lags
Wired networking is known to be safer and more stable than wireless connections, and this USB 3.0 adapter is the perfect solution for keeping your network running smoothly during online classes, video conferencing, downloading large files, streaming video, and games on USB 3.0 devices
Simply plug the ethernet to USB adapter into a USB 3.0 port on your computer and start transferring large video, audio and graphics files between your workstation and network
Windows, MAC and Linux compatible
The USB mains adapter is designed to be as small and light as possible, perfect for traveling; Dimensions: 2.50 x 6.68 x 1.78cm; Cable length: 13.70cm; Connector length: 2.80 cm

USB 3.0 adapter with 10/100/1000 Mbps LAN Ethernet port
Connections: RJ45 female; USB-C™ male with cable
Allows you to add a network connection to your PC without having to open the cabinet
Allows you to replace a damaged Ethernet port
Protects your laptops LAN port
Ideal for your game or movies at a faster speed than Wi-Fi
Plug and Play installation
Features

This datasheet was created automatically on 04-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

DATASHEET

Techly USB-C 3.0 to RJ45 Gbit converter adapter

USB 3.0 to Ethernet Converter: USB 3.0 supports 10/100/1000 Mbps speeds
Backwards compatible with both USB 2.0 and USB 1.1
Can replace a failed internal network card, add a network interface, and transfer peer-to-peer files over an Ethernet network
Plug and play: no driver software required
Reliable and Stable: Providing stable and smooth Gigabit, it can make up for the wireless connection when it is unstable
Aluminum housing: minimizes interference for an optimal connection, offers rapid thermal insulation and long life
Colour: black and silver

Size
Width: 2.50 cm
Length: 6.68cm
Height: 1.78cm
Cable length: 13.70 cm
Connector length: 2.80 cm

Compatibility
Windows
MAC
Linux

Certifications
EC
WEEE

Box Contents
USB-C™ to RJ45 converter
User Manual

Technical properties	
Connection type primary side	USB Type-C
Connection type secondary side	RJ45
Service primary side	USB
Service secondary side	Ethernet
Transmission rate	1000 Mbit/s

Available variants

ArtNr.	Bezeichnung	Unique
IDATA-USB-ETGIGA-CA	Techly USB-C 3.0 to RJ45 Gbit converter adapter	Unique

Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION

specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 04-11-2026 . Technical changes reserved.

EFB-Elektronik GmbH
Striegauer Straße 1
33719 Bielefeld

fon: +49 521 40 41 8-0
fax: +49 521 40 41 8-50

info@efb-elektronik.de
www.efb-elektronik.de

WIR SORGEN FÜR VERBINDUNG
WE CARE FOR CONNECTION