

DATASHEET

HPE Aruba J4858D compatible BlueOptics, SFP BO28L859S1D 1000BASE-SX



General data

The BlueOptics® BO28L859S1D QSFP28 transceiver is a high performance, cost effective module supporting a data rate up to 103.125Gbps with 100 Meter link length on multi mode OM4 fiber.

BlueOptics® transceivers are 100% compliant with QSFP28 Multi-Source Agreement (MSA).

All BlueOptics® QSFP28 transceivers are always equipped with digital diagnostic function compliant to MSA SFF-8436.

Using digital diagnostic, BlueOptics® QSFP28 transceivers provide the following real time information:

- Supply voltage
- Laser bias current
- Laser average output power
- Laser received input power
- Temperature

The transceiver consists of five sections: A 4-channel VCSEL transmitter, a PIN photodiode, a trans-impedance preamplifier (TIA), the LD Driver and the digital diagnostic function.

Applications

- Ethernet

This datasheet was created automatically on 18-09-2026 . Technical changes reserved.

DATASHEET

HPE Aruba J4858D compatible BlueOptics, SFP BO28L859S1D 1000BASE-SX

-Infiniband

-Fibre Channel

Features

-27.952 Gb/s data rate per channel compliant to IEEE 802.3bm

-Hot-pluggable QSFP28 footprint compliant to SFF-8665

-MPO type pluggable optical interface

-Link length up to 100 Meter on OM4

-Digital Diagnostics SFF-8436 compliant

-2-wire interface for management

-Metal enclosure, for lower EMI

-RoHS compliant and lead-free

-Low power dissipation: maximum 3.5W

-Single +3.3V power supply

Case operating temperature

-Commercial: 0°C to +70°C

-Industrial: -40°C to +85°C

Order

Technical properties	
Compatible to	Standard
Connector	MPO/MTP
Construction type	Mini GBIC
Mode	Multimode
Module type	QSFP28
Protocol	100GBASE-SR4
Range	100 m
Speed	100 Gbit/s
Temperature	0 – 70 °C

This datasheet was created automatically on 18-09-2026 . Technical changes reserved.



DATASHEET

HPE Aruba J4858D compatible BlueOptics, SFP BO28L859S1D 1000BASE-SX

Wave length	850 nm
-------------	--------

Available variants

ArtNr.	Bezeichnung	Unique
J8177E-BO	HPE Aruba J4858D compatible BlueOptics, SFP BO28L859S1D 1000BASE-SX	Unique

Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 18-09-2026 . Technical changes reserved.

