

DATASHEET

USB2.0 Repeater Cable 5m active, USB-A Jack to USB-A Plug



General data

USB2.0 Extension cable 5m, active 1-port hub with 5 m cable
 USB-A receptacle to USB-A plug
 Max. 4 x cascable (= 25 m)
 Integrated ASIC Chip as signal repeater/buffer
 Power supply via USB-interface

Technical properties

3D	True
ARC	False
Backwards compatible	True
Bending radius (dynamic/static)	40 mm
CEC	False
Cable set	False
Cable type (passive/active/optical)	passive
Chip	True
Color depth	10-Bit
Connection type connection 1	Plug

This datasheet was created automatically on 20-09-2026 . Technical changes reserved.



DATASHEET

USB2.0 Repeater Cable 5m active, USB-A Jack to USB-A Plug

Connection type connection 2	Jack
Connector 1 angulation	180°
Connector 2 angulation	180°
Contact Plating	silver-plated
DSC	False
Dust cover	false
Enhanced Color	Deep Color
HDMI Power	False
HDMI certified	False
HEC (Ethernet channel)	False
Halogenfree	No
Kink protection	True
MSA	False
MST	False
Material Connector Housing	PVC molded
Material Inner Conductor	BC
Material jacket	PVC
Max. mating cycles	1500
Model	Round Cable
Number of poles connection 1	5
Number of poles connection 2	5
Number of shieldings	triple
Operating temperature	-5 - 45 °C
PCIe Data transfer	False
Scope of delivery	1xUSB Cable
Shielded	True
Supported audio formats	compressed Audio format (Dolby Digital, Dolby TrueHD, DTS, DTS-HD Master Audio, Dolby Atmos)
Supported video standards	HD - High Definition
Temperature	-20 - 70 °C
Tensile strength (short/long)	98,1 N
Type of connector connection 1	USB-A
Type of connector connection 2	USB-A
Type of packaging	plastic bag
Type of signal	Digital
VESA certified	False

This datasheet was created automatically on 20-09-2026 . Technical changes reserved.



DATASHEET

USB2.0 Repeater Cable 5m active, USB-A Jack to USB-A Plug

VRR	False
Various lengths cable set	1x5m
Version	USB 2.0 High-Speed
Warranty	36 months
With termination resistor	False
eARC	False

Available variants

ArtNr.	Bezeichnung	Colour	Diameter	AWG
K5263.5V3	USB2.0 Repeater Cable 5m active, USB-A Jack to USB-A Plug	black	5.5 mm	24AWG

Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 20-09-2026 . Technical changes reserved.

