


# DATASHEET

Additional Roof H=40 mm, 600x1200 mm, RAL7035, for Cabinet Series PRO



## General data

For aesthetic supplement and covering of roof ventilation openings of the cabinet  
Cable entries rear-sided resp. lateral (see sketch)  
Material steel sheet, height 40 mm  
Paint finish RAL7035, light grey / RAL9005, jet black

## Technical properties

|                             |                                                             |
|-----------------------------|-------------------------------------------------------------|
| Cabinet Series              | PRO                                                         |
| Material                    | Steel                                                       |
| Scope of delivery           | 1 x roof attachment, 4 x spacer bolts, mounting accessories |
| Suitable for outdoor set-up | False                                                       |
| Surface finishing           | Powder coating                                              |
| With cable feed-through     | True                                                        |
| With de-aeration            | True                                                        |

## Available variants

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.

# DATASHEET

## Additional Roof H=40 mm, 600x1200 mm, RAL7035, for Cabinet Series PRO

| ArtNr.        | Bezeichnung                                                           | Colour | Depth   | Height | RAL-number | Suitable for bottom planking | Suitable for enclosure building depth | Suitable for enclosure building width | Suitable for roof planking | Width  | With cable entry |
|---------------|-----------------------------------------------------------------------|--------|---------|--------|------------|------------------------------|---------------------------------------|---------------------------------------|----------------------------|--------|------------------|
| PRO-DCH60B.GR | Additional Roof H=40 mm, 600x1000 mm, RAL7035, for Cabinet Series PRO | grey   | 1000 mm | 40 mm  | 7035       | False                        | 1000 mm                               | 600 mm                                | True                       | 600 mm | Ja               |
| PRO-DCH62B.GR | Additional Roof H=40 mm, 600x1200 mm, RAL7035, for Cabinet Series PRO | grey   | 1200 mm | 40 mm  | 7035       | False                        | 1200 mm                               | 600 mm                                | True                       | 600 mm | Ja               |
| PRO-DCH66B.GR | Additional Roof H=40 mm, 600x600 mm, RAL7035, for PRO                 | grey   | 600 mm  | 40 mm  | 7035       | False                        | 600 mm                                | 600 mm                                | True                       | 600 mm | Ja               |
| PRO-DCH80B.TS | Additional Roof H=40 mm, 800x1000 mm, RAL9005, for Cabinet Series PRO | black  | 1000 mm | 40 mm  | 9005       | False                        | 1000 mm                               | 800 mm                                | True                       | 800 mm | Ja               |
| PRO-DCH82B.GR | Additional Roof H=40 mm, 800x1200 mm, RAL7035, for Cabinet Series PRO | grey   | 1200 mm | 40 mm  | 7035       | False                        | 1200 mm                               | 800 mm                                | True                       | 800 mm | Ja               |

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.



# DATASHEET

## Additional Roof H=40 mm, 600x1200 mm, RAL7035, for Cabinet Series PRO

|               |                                                                      |      |        |       |      |       |        |        |      |        |    |
|---------------|----------------------------------------------------------------------|------|--------|-------|------|-------|--------|--------|------|--------|----|
| PRO-DCH86B.GR | Additional Roof H=40 mm, 800x600 mm, RAL7035, for Cabinet Series PRO | grey | 600 mm | 40 mm | 7035 | False | 600 mm | 800 mm | True | 800 mm | Ja |
|---------------|----------------------------------------------------------------------|------|--------|-------|------|-------|--------|--------|------|--------|----|

### Note on Intended Use

This data sheet is intended solely to describe the technical characteristics of the product. It does not replace an assessment of the product's suitability for a specific application. The user is responsible for ensuring that the product is used in accordance with its technical specifications and applicable legal and regulatory requirements.

This datasheet was created automatically on 01-11-2026 . Technical changes reserved.

